

Ultima 35 Ezload™

# RollSeal™ Ultima 35 Ezload™

## Document Protection Solutions

*Protect What Matters on Paper - Whatever the Size & Shape.*



[www.accoeuropa.com](http://www.accoeuropa.com)

# RollSeal™ Ultima35 Ezload™

Roll Lamination technology perfectly adapted for Office and Educational use.

Physically compact and very easy for all to use. Capable of protecting many sizes and shapes of paper or card to a maximum width of 305mm to almost any length with a full selection of dedicated high-quality Gloss or Matt polyester Laminating Films to a professional standard.

## Key Features & Benefits include:

- **One Minute Warm-Up time.** No wasted Office time.
- **Full Film Range Capability.** All weights, every application.
  - 42.5, 75, 125, 175 & 250 Microns (85, 150, 250, 350 & 500 Total Microns).
- **High Speed.** Laminates at 1m per minute.
  - 1 x A4 in approximately 13 seconds.
  - 1 x A3 in approximately 18 seconds.

## Easily understandable Control Panel.

- **Run/Stop/Reverse.** Single speed for any Film/Paper type & a convenient Reverse mode for misfeeds, etc.
- **Ready Lamp.** Illuminates when correct operating temperature achieved and lamination can begin.
- **Temperature Control.** Up to 10 settings to adjust to any laminate weight or paper type to ensure perfect lamination.
- **Power Lamp.** Clearly indicates that unit is plugged in and switched on.

## Full Selection of Safety Features.

- **Heat Protection Shield.** Prevents inadvertent contact with Heat Shoes.
- **Feed Table Latch.** The Laminator will only function when Feed Table is locked in position.
- **Auto Shut-Off.** After one hour of inactivity the Laminator will automatically shut down.
- **Full EU Safety Compliance.** Including 2 year warranty.


## Patented EzLoad™ Film Loading Technology.

- Film Rolls supplied with Colour Coded Plugs. Makes it impossible to load replacement Roll Films in error.
- Threading & Loading Guide. Supplied with unit.
- No Film 'Shafts'. Easier for Office personnel to reload.

Model	Product code
RollSeal™ Ultima EzLoad™ 35	EU: 1701640 UK: 1701660 CH: 1701670



**Heat Protection Shield.**  
Prevents inadvertent contact with Heat Shoes and keeps dust and other materials away from Lamination zone.



**Feed Table Guide.**  
Aligns items to be laminated and ensures that longer media is fed into the laminator straight.  
Can also be positioned in the centre of the Feed Tray to enable small items to be fed in two-up at a time. Motor stops automatically upon removal.



**Endless Applications.**  
The 305mm width and a length only restricted by the meterage of the Roll, makes the EzLoad™ 35 also ideal for Banners, Posters, Signage - even in shapes only restricted by ones creativity!

## Small, Compact & Lightweight.

At under 0.5m wide, EzLoad™ 35 is easily portable around the office and fits on any standard desk.



